



**PROPOSAL AND CONTRACT FOR  
EQUIPMENT AND/OR MATERIALS ONLY \***

**(THIS PROPOSAL INCLUDES  
INSTRUCTIONS TO BIDDERS)**

INSTRUCTIONS ON PAGE 4

**A. DEPOSIT OF PROPOSALS.**

- 1. All envelopes containing Bid proposals shall be clearly marked "Bid Proposal for letting of 4/27/2021 ."

DATE

FRANKSTOWN TOWNSHIP  
MUNICIPALITY (NAME & TYPE)

BEVERLY HENDERSON  
SECRETARY

Sealed Proposals will be received on or before 7:00 AM , on the above Letting Date.

TIME

2122 FRANKSTOWN RD  
HOLLIDAYSBURG, PA 16648

ADDRESS

Bids will be opened and read at approximately 8:00 AM , on the above Letting Date.

TIME

PROPOSALS MUST BE MAILED OR OTHERWISE DELIVERED TO THE ABOVE ADDRESS.

- 2. Supplier agrees to furnish and deliver those items for which prices have been indicated on the Schedule of Prices (Attachment 1) in accordance with the current PennDOT Specifications (Pub. 408), except bidders need not be prequalified by PennDOT (Sec. 102.01). It is understood that: (1) Bituminous materials will be purchased weight or converted gallons at 60 F. (2) Supplier must finish Form TR-465, "Daily Bituminous Mixture Certification." (3) The Municipality reserves the right to make an award on the basis of quotations received for any item or on the basis of the aggregate total for all like items on which quotations are received.

- 3. Contract shall expire in one year from Date of Award or \_\_\_\_\_ (DATE)

**B. CONTRACTOR'S CERTIFICATION**

Proposal of \_\_\_\_\_ (NAME OF CONTRACTOR)

\_\_\_\_\_  
(ADDRESS)

- 1. It is hereby certified as follows:
  - a. The only person (s) having an interest in this proposal is (are) [include owners of leased equipment]:  
\_\_\_\_\_
  - b. None of the above persons are employees of the municipality.
  - c. This proposal is made without collusion with any other person, firm or corporation.
  - d. All specifications referred to above have been examined by the suppliers. The supplier understands that the quantities indicated herein are approximate and are subject to change as may be required; and that all work is payable on the basis of the unit prices listed on the Schedule of Prices (Attachment 1).
- 2. Accompanying this proposal is a certified check or bid bond in the amount of \$ \_\_\_\_\_ made payable to the municipality, as a proposal guarantee which, it is understood, will be forfeited in case the supplier fails to comply with the requirements of the proposal.
- 3. Name(s) of source(s) of supply of bituminous materials.  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\* For Contract Projects, use MS-944.

- 4. The supplier will comply with all requirements of the laws and implementing regulations of the Commonwealth of Pennsylvania and of the United States relating to human relations, equal opportunity and non-discrimination in employment, and will pay to workmen employed in the performance of the contract the wages to which they may be entitled and, when required by law, not less than the applicable prevailing wage.
- 5. The supplier will provide the municipality with a performance bond, conditioned upon the faithful performance of the contract.

**WITNESS OR ATTESTED BY:**

\_\_\_\_\_  
TITLE:



\_\_\_\_\_  
SUPPLIER

BY: \_\_\_\_\_

\_\_\_\_\_  
TITLE:



***TO BE EXECUTED ONLY IN THE EVENT THE ABOVE PROPOSAL IS ACCEPTED***

**ACCEPTED ON:**

**ATTESTED BY:**

\_\_\_\_\_  
DATE

\_\_\_\_\_  
TITLE:

\_\_\_\_\_  
FRANKSTOWN TOWNSHIP

\_\_\_\_\_  
MUNICIPALITY

BY: \_\_\_\_\_

\_\_\_\_\_  
TITLE:

(SEAL)

\_\_\_\_\_  
TITLE:

TOTAL AMOUNT OF CONTRACT:

\_\_\_\_\_  
TITLE:

\$ \_\_\_\_\_

ITEMS INCLUDED IN CONTRACT:

**SCHEDULE OF PRICES - MATERIALS**

BIDDER NAME: \_\_\_\_\_

1	2	3*	4**	5	6	A	7	B	8***	C
ITEM NO.	APPROX. QUANTITY	UNIT	DESCRIPTION	REMARKS AND / OR DELIVERY DATES	UNIT PRICE FOB PLANT	TOTAL (2 x 6)	UNIT PRICE DELIVERED AT JOB SITE	TOTAL (2 x 7)	UNIT PRICE DELIVERED AS DIRECTED	TOTAL (2 x 8)
1			2000 International 6 Speed 56,980 mileage plow and spreader included.							

\* Gallons - Tons - Feet - etc.

\*\* Includes Class - Size - Diameter

\*\*\*For Bituminous or other Pavements in Place, Use Form 944

USE OF CUTBACK ASPHALT IS PROHIBITED BETWEEN MAY 1 st AND OCTOBER 31 st EXCEPT AS NOTED IN BULLETIN NO. 25.

ALL COLUMNS MUST BE COMPLETED UNLESS OTHERWISE INDICATED.

**Summary****VIN:1HTSEAN4YH322585****General Information**

Customer Name: <a href="#">Update</a>	FRANKSTOWN TWSHIP 1775 FRANKSTOWN RD HOLIDAYSBURG, PA 16648	Engine :	International : INTL DT466 ST 230HP/2600 GOV EPA 1998, Electro- Hydraulic Fuel System, 230HP @ 2300/2600 RPM, 620 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, 237 Peak HP (Max) ( 0012NMD )
Application:		Model:	4800 4X4
		Engine Serial Number:	7.4JU2U1213903

Repair Management	(620369-( <input type="checkbox"/> )	<a href="#">Create Estimate</a>	
Contact Name:	<a href="#">Add</a>	Unit No:	<a href="#">Edit</a>
Position:		Inspection Exp:	
Phone Number:		Notes:	No
Email Address:			
Customer ID:			
Contact Type:			
		OCC Authorization Form :	N/A

**Warranty Information**

Order Date:		DTU Status:	DTU
Build Date:	01/10/2000	DTU Miles:	132 Miles
Warranty Start Date:	<b>04/12/2000</b>	Standard Warranty:	<a href="#">Standard Warranty</a>
Time In Service:	20 Years 11 Months	Diamond Spec:	No
DTU Engine Hours:	0	DTU Fuel Used:	0.
Extended Warranty Coverage:	No		

**Managed Repair Information** 

Open Recalls:	1. <a href="#">02506 AIR ABS RELAY VALVE-TRK ONLY (Open)</a>	Open AFCs:	No
Open MRCs:	No	Open FSC:	No



**Calibration Status**

BCM Status:	<a href="#">Vehicle Calibration Scorecard</a>
-------------	-----------------------------------------------

Electronic Feature  
(s):

[Vehicle Calibration Scorecard](#)

**Details**

Vehicle Information			
VIN :	1HTSEAAN4YH322585	Order Date :	
Model :	4800 4X4	Build Date :	01/10/2000
Engine :		DTU Date :	04/12/2000
Application Family :		Warranty Start Date :	04/12/2000
Application :		DTU Status :	DTU
Wheel Base :	140.0	DTU Odometer :	132 Miles
DTU Engine Hours :	0	DTU Fuel Used :	0.
GVWR :	26500	Original Gear Ratio :	538
PC Number :	200111180	 Programmed Gear Ratio :	538 As Of: 01/11/2000
Paint Color Code :	4421	Order Number :	514704
Selling Dealer :	<a href="#">ALLEGHENY TRUCKS INC. (620369-000)</a>	 After Frame :	0.0
Customer :	FRANKSTOWN TWSHIP	Original Customer :	FRANKSTOWN TWSHIP
Address :	1775 FRANKSTOWN RD	Address :	1775 FRANKSTOWN RD
City, State Zip :	HOLIDAYSBURG, PA 16648	City, State Zip :	HOLIDAYSBURG, PA 16648
Toe (MM/M)	N/A		
Forward Rear / Scrub (MM/M)	N/A		
Rear Rear / Thrust (MM/M)	N/A		

**Components**

Components				
VIN : 1HTSEAAN4YH322585		95 components found. <input type="button" value="Export"/>		
S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description
1	FRAMES	<a href="#">0001ABH</a>	<a href="#">0001ABH</a>	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield); 10.375" x 3.062" x 0.312"; 140", 152", 170", 176" & 188" WB
2	FRAMES	<a href="#">0001GNM</a>	<a href="#">0001GNM</a>	FRAME REINFORCEMENT Partial Outer Inverted "L", High Strength Low Alloy Steel (50,000 PSI Yield); 9.500" x 3.310" x 0.250", 152", 170", 176" & 188" WB
3	FRAMES	<a href="#">0001LLE</a>	<a href="#">0001LLE</a>	BUMPER, FRONT Contoured, Steel, Severe Duty
4	FRAMES	<a href="#">0001570</a>	<a href="#">0001570</a>	TOW HOOK, FRONT (2) Frame

				Mounted
5	FRAMES	<a href="#">0001951</a>	<a href="#">0001951</a>	FRAME PIERCING Additional Holes in Pre-Pierced Rails
6	FRONT AXLES	<a href="#">0002064</a>	<a href="#">0002064</a>	AXLE, FRONT DRIVING {Spicer S-90} Single Reduction, 9,000-lb Capacity
7	FRONT SUSPENSIONS	<a href="#">0003ACM</a>	<a href="#">0003ACM</a>	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 12,000-lb Capacity; Less Shock Absorbers
8	FRONT SUSPENSIONS	<a href="#">0003703</a>	<a href="#">0003703</a>	SHOCK ABSORBERS, FRONT for Axles Under 20,000-lb Capacity
9	BRAKES	<a href="#">0004AZA</a>	<a href="#">0004AZA</a>	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
10	BRAKES	<a href="#">0004EAH</a>	<a href="#">0004EAH</a>	AIR DRYER {Bendix AD-9} with Heater, Standard Location
11	BRAKES	<a href="#">0004ERS</a>	<a href="#">0004ERS</a>	BRAKE IDENTITY, REAR {Meritor Q-Plus}
12	BRAKES	<a href="#">0004SBC</a>	<a href="#">0004SBC</a>	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM
13	BRAKES	<a href="#">0004091</a>	<a href="#">0004091</a>	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
14	BRAKES	<a href="#">0004174</a>	<a href="#">0004174</a>	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 16 Sq. In. Brake Chambers
15	BRAKES	<a href="#">0004273</a>	<a href="#">0004273</a>	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30 Sq. In. MGM Spring Actuated Parking Brake Chambers
16	STEERING	<a href="#">0005AAA</a>	<a href="#">0005AAA</a>	STEERING COLUMN Stationary
17	STEERING	<a href="#">0005CAM</a>	<a href="#">0005CAM</a>	STEERING WHEEL 2-Spoke, 21" Diam., Black
18	STEERING	<a href="#">0005PRH</a>	<a href="#">0005PRH</a>	STEERING GEAR {TRW (Ross) TAS-55} Power
19	EXHAUST SYSTEMS	<a href="#">0007ACW</a>	<a href="#">0007ACW</a>	EXHAUST SYSTEM Single Horizontal Muffler, Vertical Tail Pipe, Aluminized Steel; Includes Tail Pipe Guard; Cab Mounted Left Side
20	ELECTRICAL SYSTEMS	<a href="#">0008GCS</a>	<a href="#">0008GCS</a>	ALTERNATOR {Delco Remy 22SI} Brush Type, 12 Volt, 100 Amp Capacity
21	ELECTRICAL	<a href="#">0008MEZ</a>	<a href="#">0008MEZ</a>	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt

	SYSTEMS			1850CCA Total, Top Threaded Stud
22	ELECTRICAL SYSTEMS	<a href="#">0008RDC</a>	<a href="#">0008RDC</a>	RADIO {Panasonic CRW200B} AM/FM Stereo, With Weather Band; 4 Channel At 15 Watts Each, With Electronic Tuning and Clock, Includes Multiple Dual-Cone Speakers
23	ELECTRICAL SYSTEMS	<a href="#">0008WAU</a>	<a href="#">0008WAU</a>	WINDSHIELD WIPER SWITCH Intermittent; for Electric Wipers
24	ELECTRICAL SYSTEMS	<a href="#">0008WBE</a>	<a href="#">0008WBE</a>	JUNCTION BLOCK In Cab, For Tail Light, Turn Light, Backup Light and Key Switch Controlled Circuits; Mounted Behind Drivers Seat
25	ELECTRICAL SYSTEMS	<a href="#">0008WNG</a>	<a href="#">0008WNG</a>	ENGINE SHUTDOWN With 30 Second Delay, Automatic, With Warning Light and Buzzer for Low Engine Oil Pressure, High Coolant Temperature, Low Coolant Level. Includes Automatic Override. With International Electronic Engines
26	ELECTRICAL SYSTEMS	<a href="#">0008XAH</a>	<a href="#">0008XAH</a>	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
27	ELECTRICAL SYSTEMS	<a href="#">0008000</a>	<a href="#">0008000</a>	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
28	ELECTRICAL SYSTEMS	<a href="#">0008518</a>	<a href="#">0008518</a>	CIGAR LIGHTER Includes Ash Cup
29	ELECTRICAL SYSTEMS	<a href="#">0008540</a>	<a href="#">0008540</a>	HORN, ELECTRIC (2) Trumpet Style
30	ELECTRICAL SYSTEMS	<a href="#">0008625</a>	<a href="#">0008625</a>	BACK-UP ALARM {Preco 250 Bac-A-Larm} Electric 102 dBA
31	FRONT END	<a href="#">0009107</a>	<a href="#">0009107</a>	FRONT END Tilting, Fiberglass
32	FRONT END	<a href="#">0009572</a>	<a href="#">0009572</a>	GRILLE Stationary: Less T444E Engine With PTO
33	SPEEDOMETER, TOOLS, MISC	<a href="#">0010000</a>	<a href="#">0010000</a>	SPEEDOMETER and Miscellaneous
34	SPEEDOMETER, TOOLS, MISC	<a href="#">0010060</a>	<a href="#">0010060</a>	PAINT SCHEMATIC, PT-1 Single Color, Design 100
35	SPEEDOMETER, TOOLS, MISC	<a href="#">0010210</a>	<a href="#">0010210</a>	LABEL Emissions, Fuel Economy and Noise. DO NOT ORDER-FOR FACTORY USE ONLY
36	SPEEDOMETER, TOOLS, MISC	<a href="#">0010761</a>	<a href="#">0010761</a>	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
				CLUTCH {Eaton Fuller SAS1402} Two-Plate, Stamped Angle Spring;



37	CLUTCH	<a href="#">0011LDL</a>	<a href="#">0011LDL</a>	Ceramic, 14" Diameter, 8-Spring Free Travel Damper, With 1.75" Spline, Mechanical Pull Type Control and With Kwik-Adjust(Manual) Feature 860 lb-ft Torque Capacity
38	ENGINE	<a href="#">0012NMD</a>	<a href="#">0012NMD</a>	ENGINE, DIESEL {International DT466 Standard Torque} EPA 1998, Electro-Hydraulic Fuel System, 230HP @ 2300/2600 RPM, 620 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, 237 Peak HP (Max)
39	ENGINE	<a href="#">0012TSJ</a>	<a href="#">0012TSJ</a>	FAN DRIVE {Borg-Warner DD-30} Viscous
40	ENGINE	<a href="#">0012UGM</a>	<a href="#">0012UGM</a>	GOVERNOR Electronic Road Speed Type; With 62 MPH Default; Not With Bus
41	ENGINE	<a href="#">0012UGN</a>	<a href="#">0012UGN</a>	THROTTLE, HAND CONTROL Electronic
42	ENGINE	<a href="#">0012UUZ</a>	<a href="#">0012UUZ</a>	RADIATOR Welded, Down Flow, Parallel System, 381 SqIn Area and 304 SqIn Charge Air Cooler,
43	ENGINE	<a href="#">0012VAG</a>	<a href="#">0012VAG</a>	AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control
44	ENGINE	<a href="#">0012VVN</a>	<a href="#">0012VVN</a>	CRUISE CONTROL Electronic
45	ENGINE	<a href="#">0012VVW</a>	<a href="#">0012VVW</a>	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls, with Ignition Switch Control, for International Engines
46	ENGINE	<a href="#">0012WCD</a>	<a href="#">0012WCD</a>	ENGINE IDENTITY Engine with NAVPAK Engine Control Module
47	ENGINE	<a href="#">0012959</a>	<a href="#">0012959</a>	BLOCK HEATER, ENGINE {Phillips} 120V/1250W
48	TRANSMISSION	<a href="#">0013GME</a>	<a href="#">0013GME</a>	TRANSMISSION, MANUAL {Fuller FS-6406A} 6-Speed Manual; Fully Synchronized, Short Shift Stroke
49	TRANSMISSION	<a href="#">0013TJA</a>	<a href="#">0013TJA</a>	TRANSFER CASE {Fabco TC-38} 2-Speed, 5000 lb-ft Capacity with Air Controls; Includes Provision for PTO; Remote Mount
50	REAR AXLES, SUSPENSIONS	<a href="#">0014ADV</a>	<a href="#">0014ADV</a>	AXLE, REAR, SINGLE {International N-175} Single Reduction, 17,500-lb Capacity With 190 Wheel Ends

51	REAR AXLES, SUSPENSIONS	<a href="#">0014SAZ</a>	<a href="#">0014SAZ</a>	SUSPENSION, REAR, SINGLE Vari- Rate, Single Stage; 23,500-lb Capacity, Includes 4500-lb Capacity Multileaf Auxiliary
52	REAR AXLES, SUSPENSIONS	<a href="#">0014WAP</a>	<a href="#">0014WAP</a>	SHOCK ABSORBERS, REAR (2)
53	FUEL TANKS	<a href="#">0015SAC</a>	<a href="#">0015SAC</a>	FUEL TANK Top Draw; Rectangular, Steel, 50 U.S. Gal., 189 L Capacity With Center Step; 15.0" Tank Depth, Mounted Right Side, Under Cab
54	CABS, COWLS, BODIES	<a href="#">0016CCB</a>	<a href="#">0016CCB</a>	COLOR, INTERIOR Pearl Gray
55	CABS, COWLS, BODIES	<a href="#">0016GAC</a>	<a href="#">0016GAC</a>	MIRRORS (2) Rectangular, West Coast Type, Aluminum Heads and Brackets, 16" x 7" Size with 102" Wide Spacing, Satin Anodized Finish, With Heating Elements.
56	CABS, COWLS, BODIES	<a href="#">0016HAA</a>	<a href="#">0016HAA</a>	GAUGE CLUSTER English with English Electronic Speedometer and with Tachometer for Air Brake Chassis
57	CABS, COWLS, BODIES	<a href="#">0016HJA</a>	<a href="#">0016HJA</a>	GAUGE PACKAGE Includes Hourmeter
58	CABS, COWLS, BODIES	<a href="#">0016KGC</a>	<a href="#">0016KGC</a>	SEAT, DRIVER {National Cush-N- Aire Model 295} Air Suspension, Intermediate Back, Vinyl With Printed Vinyl Insert, Isolated, With 2-Position Front Cushion Adj., Minus 2-Degree to Plus 15-Degree Seat Back Adjustment; Mechanical Lumbar Support and Storage Pocket On Seat Back
59	CABS, COWLS, BODIES	<a href="#">0016RMC</a>	<a href="#">0016RMC</a>	SEAT, PASSENGER {National Static 292} Non-Suspension, Intermediate Back, Vinyl With Printed Vinyl Inserts, With 11-Degree Fixed Back
60	CABS, COWLS, BODIES	<a href="#">0016WEE</a>	<a href="#">0016WEE</a>	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator
61	CABS, COWLS, BODIES	<a href="#">0016WKA</a>	<a href="#">0016WKA</a>	HEATER {International Blend-Air} with Defroster
62	CABS, COWLS, BODIES	<a href="#">0016WMJ</a>	<a href="#">0016WMJ</a>	MIRROR, CONVEX (2) Stainless Steel, 8" Diameter, Mounted Below Primary Mirrors.
63	CABS, COWLS,	<a href="#">0016WRB</a>	<a href="#">0016WRB</a>	CAB INTERIOR TRIM Deluxe

	BODIES			
64	CABS, COWLS, BODIES	<a href="#">0016ZAA</a>	<a href="#">0016ZAA</a>	ACCESS, CAB Driver & Passenger Sides
65	CABS, COWLS, BODIES	<a href="#">0016000</a>	<a href="#">0016000</a>	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
66	CABS, COWLS, BODIES	<a href="#">0016030</a>	<a href="#">0016030</a>	CAB Conventional, Day Cab
67	CABS, COWLS, BODIES	<a href="#">0016660</a>	<a href="#">0016660</a>	GLASS, ALL WINDOWS Tinted
68	WHEELS, SPARE	<a href="#">0025014</a>	<a href="#">0025014</a>	RIM, SPARE, FOR CAST WHEEL 22.5" Steel; 7.50 DC
69	WHEELS, TIRES - FRONT	<a href="#">0027003</a>	<a href="#">0027003</a>	WHEELS, FRONT CAST; 22.5" 6-Spoke, Painted Steel, 7.50 DC Rims
70	WHEELS, TIRES - REAR	<a href="#">0028002</a>	<a href="#">0028002</a>	WHEELS, REAR DUAL CAST; 22.5" 5-Spoke, Painted Steel, 7.50 DC Rims
71	WHEELS MISC OPTIONS	<a href="#">0029007</a>	<a href="#">0029007</a>	TIRE, SPARE Equal to Model Standard
72	WARRANTY	<a href="#">0040010</a>	<a href="#">0040010</a>	WARRANTY Medium Duty Standard 12 Months
73		<a href="#">0248DTP</a>	<a href="#">0248DTP</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
74		<a href="#">0270DTH</a>	<a href="#">0270DTH</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
75		<a href="#">0270DYA</a>	<a href="#">0270DYA</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
76	BRAKES	<a href="#">0504000</a>	<a href="#">0504000</a>	AIR TANK Steel
77	BRAKES	<a href="#">0504021</a>	<a href="#">0504021</a>	AIR TANK LOCATION One 16" Diam, Tank Mounted Outside Left Rail, Under Cab
78	BRAKES	<a href="#">0504200</a>	<a href="#">0504200</a>	DRAIN VALVE (3) Petcocks, for Air Tanks
79	BRAKES	<a href="#">0504355</a>	<a href="#">0504355</a>	SLACK ADJUSTERS, REAR {Meritor} Automatic
80	BRAKES	<a href="#">0504403</a>	<a href="#">0504403</a>	BRAKE LININGS, REAR {Abex ABB3030-197} Non-Asbestos, With Meritor(Rockwell) Q or Q-Plus Brakes

81	DRIVELINES	<a href="#">0506001</a>	<a href="#">0506001</a>	YOKE, TRANSMISSION OUTPUT
82	DRIVELINES	<a href="#">0506004</a>	<a href="#">0506004</a>	YOKE, TRANSFER CASE INPUT
83	DRIVELINES	<a href="#">0506005</a>	<a href="#">0506005</a>	YOKE, T.C. OUTPUT TO FRT AXLE
84	DRIVELINES	<a href="#">0506006</a>	<a href="#">0506006</a>	YOKE, T.C. OUTPUT TO REAR AXLE
85	DRIVELINES	<a href="#">0506010</a>	<a href="#">0506010</a>	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
86	DRIVELINES	<a href="#">0506011</a>	<a href="#">0506011</a>	YOKE, FRONT AXLE INPUT
87	DRIVELINES	<a href="#">0506100</a>	<a href="#">0506100</a>	DRIVELINE LABOR IDENTITY for Driveline Labor
88	SPEEDOMETER, TOOLS, MISC	<a href="#">0510000</a>	<a href="#">0510000</a>	BULK MATERIAL
89	MISC	<a href="#">0530100</a>	<a href="#">0530100</a>	TIRES
90	BODY & CHASSIS PAINT	<a href="#">0535003</a>	<a href="#">0535003</a>	PAINT COLOR GROUP No. 03
91	BODY & CHASSIS PAINT	<a href="#">0535008</a>	<a href="#">0535008</a>	PAINT CHASSIS COLOR GROUP No. 08
92	BODY & CHASSIS PAINT	<a href="#">0535011</a>	<a href="#">0535011</a>	IDENTITY STANDARD PAINT COLOR for Internal Order Coding
93		<a href="#">0730221</a>	<a href="#">0730221</a>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
94	FRAMES	<a href="#">0801WCX</a>	<a href="#">0801WCX</a>	FRAME REINFORCEMENT, SPECIAL Inverted "L", in Front Shock Absorber Mounting Area; 3.30" x 1.80" x 0.312" x 31.50"
95	ELECTRICAL SYSTEMS	<a href="#">0808WDL</a>	<a href="#">0808WDL</a>	INDICATOR, LOW OIL PRESSURE Omit Item